

IN THE CLAIMS

Please cancel claims 11, 15-18, 20, 21, and 30. Please amend claims 13, 14, 19, 22, 23, 24, and 33-36 as set forth in the following listing of the claims.

Claim Listing

1-11. (Cancelled)

12. (Previously Presented) A multi-component emergency medical system of a size and weight which can easily be carried by a single hand comprising:

a breathable oxygen delivery system;

a prompting system for directing a user through a protocol employing said oxygen delivery system; and

a unitary casing for housing said oxygen delivery system and said prompting system; the cumulative size and weight of the unitary casing, oxygen delivery system, and prompting system such that the unitary casing, when housing the oxygen delivery system and the prompting system, can easily be carried by a single hand.

13. (Amended) A system as claimed in claims 12, 19, 24, or 36, of a size and weight which can be hand-held.

14. (Amended) A system as claimed in claims 12, 19, 24, or 36, of a size and weight which can be wearable.

15-18. (Cancelled)

19. (Amended) A multi-component emergency medical system of a size and weight which can easily be carried by a single hand comprising:

a breathable oxygen delivery system;

a capnometer;

and a unitary casing for housing said oxygen delivery system and said capnometer; the cumulative size and weight of the unitary casing, oxygen delivery system, and capnometer such that the unitary casing, when housing the oxygen delivery system and the capnometer, can easily be carried by a single hand.

20. (Cancelled)

21. (Cancelled)

22. (Amended) A system as claimed in claim 19 further comprising an oximeter.

23. Amended) A system as claimed in claim 36, further comprising a prompting system.

24. (Amended) A multi-component emergency medical system of a size and weight which can easily be carried by a single hand comprising:

a breathable oxygen delivery system;

an oximeter;

a prompting system;

and a unitary casing for housing said oxygen delivery system and said oximeter and said prompting system; the cumulative size and weight of the unitary casing, oxygen delivery system, oximeter, and prompting system such that the unitary casing, when housing the oxygen delivery system, the oximeter, and the prompting system, can easily be carried by a single hand.

25. (Previously Presented) A system as claimed in claim 19, further comprising a prompting system.

26. (Previously Presented) A system as claimed in claim 22, further comprising a prompting system.

27. (Previously Presented) A system as claimed in claim 24, further comprising a control processor for controlling the prompting system to direct a user through a protocol of operation of the oxygen delivery system based on feedback from the oximeter.

28. (Previously Presented) A system as claimed in claim 25, further comprising a control processor for controlling the prompting system to direct the user through a protocol of operation of the oxygen delivery system on the basis of feedback from the capnometer.

29. (Previously Presented) A system as claimed in claim 26, further comprising a control processor for controlling the prompting system to direct the user through a protocol of operation of the oxygen delivery system based on feedback from both the oximeter and the capnometer.

30. (Cancelled)

31. (Previously Presented) A system as claimed in claim 19, further comprising a control processor for controlling the operation of said oxygen delivery system on the basis of feedback from the capnometer.

32. (Previously Presented) A system as claimed in claim 22, further comprising a control processor for controlling the operation of said oxygen delivery system on the basis of feedback from both the oximeter and the capnometer.

33. (Amended) A system as claimed in claims 24 or 36, further comprising a control processor for controlling the operation of said oxygen delivery system on the basis of feedback from the oximeter.

34. (Amended) A system as claimed in claim 19, further comprising a control processor for controlling the operation of said oxygen delivery system on the basis of feedback from the capnometer.

35. (Amended) A system as claimed in claim 22, further comprising a control processor for controlling the operation of said oxygen delivery system on the basis of feedback from both the oximeter and the capnometer.

36. (Amended) A multi-component emergency medical system of a size and weight which can easily be carried by a single hand comprising:

a breathable oxygen delivery system;

an oximeter;

a display system coupled to said oximeter for at least one of assessing, diagnosing and monitoring;

and a unitary casing for housing said oxygen delivery system and said oximeter and said display system; the cumulative size and weight of the unitary casing, oxygen delivery system, oximeter, and display system such that the unitary casing, when housing the oxygen delivery system, the oximeter, and the display system, can easily be carried by a single hand.

37. (Previously Presented) A system as claimed in claim 19 further including a display system coupled to said capnometer for at least one of assessing, diagnosing and monitoring.

38. (Previously Presented) A system as claimed in claim 22 further including a display system coupled to said oximeter and capnometer for at least one of assessing, diagnosing and monitoring.

39. (Previously Presented) A system as claimed in claim 27, 28, or 29 further including means for modal control of said oxygen delivery system, for switching or prompting a user to switch said oxygen delivery system between a variable flow rate/pressure cyclic ventilator mode and a fixed flow rate mode.